# Car Electric Product



www.want-it.cn



### Car Interior Product







YE2127501WT Cloth Hanger







YE2127502WT Cloth Hanger





YN2127501WT Car Rear Mirror Phone Holder







YN2127504WT Car Rear Mirror Phone Holder



YN2127502WT Car Rear Mirror Phone Holder





YN2127505WT Car Rear Mirror Phone Holder





YN2127503WT Car Rear Mirror Phone Holder



YN2127506WT Car Rear Mirror Phone Holder



## Car Interior Product



YN2127507WT
Car Rear Mirror Phone
Holder



YN2127510WT Car Rear Mirror Phone Holder



YN2127513WT Car Rear Mirror Phone Holder



YN2127508WT Car Rear Mirror Phone Holder



YN2127511WT Car Rear Mirror Phone Holder



Car Rear Mirror Phone
Holder



YN2127509WT Car Rear Mirror Phone Holder



YN2127512WT Car Rear Mirror Phone Holder



YN2127515WT Car Rear Mirror Phone Holder



# COB Working Light



### JM2102702WT COB Work Torch:

- 4W COB LED work light
- 1pcs 0.5W LED top
- 3.7V 1800mA rechargeable lithium battery
- 3 strong magnets and 2 swivel hook
- Running time: 4W COB LED High position: 1 hours ;4W COB LED low position: 3 hours;1 LED top: 4 hours
- Charging time: around 6 hours
- With AC adaptor and 12V car adaptor

### **RB2127305WT COB Rechargeable Work Lamp:**

1. Bulb Type: 3W COB

2. Power Source: include 800MA Lithium battery

3. Product Size: 114 x 24 x 47mm

4. Product Weight: 91.1g

5. Material: ABS with rubber painting

6. Operation Mode: Low/High/Off Hold switch 2 seconds:

Red on-Red flsh-Red SOS 7. LED Life: 100,000 hours 8. Brightness: 100Lumens 9. Working time: 4-5Hours





**USB INPUT** 

MAGNET



CLIP FOR BELT **ROTATION BOTTOM** 



### **RJ2127301WT COB Rechargeable Head Lamp:**

1. Bulb Type: 1W COB LED

2. Power Source: 120MAH Lithium Battery

Included

3. Product Size: 67 x 30 x 17mm

4. Product Weight: 18.6g

5. Material: ABS

6. Operation Mode:

7. LED life: 100,000 hours

8. Brightness: Max output 100 Lumens

9. Working time: 2Hours 10.Charging time: 2Hours

11.Features: LED cap light with 360 degree rotary design; Mini size and lightweight for convenient carry; Advanced USB rechargeable function 12. Accessories: 1pc USB cable Included



# **Warning Light**

# RI2127202WT Roadside Warning Light:

- 1.2 PCS/Set
- 2. 8 surper bright LEDs, compose a 360-degree viewing
- 3. Visible distance can be over 1 mile
- 4. Higher LED illuminant
- 5. Power: 3 pcs of AAA battery (not included in Quotation)
- 6. 3 patterns: single blink, lights-on and the flash light
- 7. With magnet bottom, easily sticking to cars, iron-made material.
- 8. Control: one button to switch and turn off lights.
- 9. The stand provide higher angle, and stability
- 10. Color: 3 color available. Also available for customization.
- 11. Material: ABS+PC+TPR





















### **RI2127201WT LED Warning Light:**

- 1. 12+4 PCS super bright LED bulbs, working life is more than 100,000 hours;
- 2. lighting covers 360 degree direction, visible for up to 1 miles away;
- 3. High endurance even rolled under a car;
- 4. Back with strong magnets, can be attached on iron surface;
- 5. Shatterproof, and water-resistance;
- 6. 10 patterns: Rotate, Quad-flash, Single-blink, Alternate, SOS, Solid-on high, Solid-on low, 2 led illuminate, 4 led illuminate, Torch;
- 7. 2 buttons, one button control the side LED, the other control the top led
- 8. Power: 3 pcs AAA Battery ( Not included in Quotation )
- 9. Material: PC+TPR
- 10. Product Net Weight: 170g without battery







# RB2127301WT 5W SMD Work Lamp:

- 1. Bulb Type: 5W SMD LED
- 2. Power Source: 4 x AA Battery NOT included
- 3. Product Size: 70 x 22.5 x 44 mm
- 4. Product Weight: 365.9g
- 5. Material: Nylon, TPR
- 6. Operation Mode: ON-OFF
- 7. LED life: 100,000 hours
- 8. Brightness: Max output 350 Lumens
- 9. Working time: About 4-5 hours
- 10.Features: Easy ON/OFF push button backside; Multi-function use way; Adjustable portable hanger and stand base for different application

### RB2127302WT 5W COB Work Lamp:

- 1. Bulb Type: 5 Watts COB LED
- 2. Power Source: 4 x AA Battery NOT included
- 3. Product Size: 70 x 22.5 x 44 mm
- 4. Product Weight: 367 g
- 5. Material: Nylon, TPR
- 6. Operation Mode: ON-OFF
- 7. LED life: 100,000 hours
- 8. Brightness: 350 Lumens
- 9. Working time: About 5-6 hours
- 10. Features: Easy ON/OFF push button backside; Adjustable portable hanger and stand base for
  - different application





# Work Lamp

### RB2127303WT 10W SMD Work Lamp:

1. Bulb Type: 10 Watts SMD LED

2,.ower Source: 4400MAH Lithium battery

3. Product Size: 70 x 22.5 x 44 mm

4. Product Weight: 456.5g5. Material: Nylon ,TPR

6. Operation Mode: High-Low-Flash-Off

7. LED life: 100,000 hours 8. Brightness: 1000 Lumens

9. Working time: About 2.5 hours10.Charging time: About 5-6 hours

11.Features: Easy ON/OFF push button backside;USB input charging;USB output for your mobile device charging use;Short press the RED switch button to switch 3 lighting modes as you want;Battery capacity indicator light will light up while charging and working

12. Accessories: 1PC USB Cable Included





### RB2127304WT 10W COB Work Lamp:

1, Bulb Type: 10 Watts COB LED

2, Power Source: 4400MAH Lithium

battery Included

3, Product Size: 70 x 22.5 x 44 mm

4, Product Weight: 469.6g

5, Material: Nylon ,TPR

6, Operation Mode: High-Low-Flash-Off

7, LED life: 100,000 hours

8, Brightness: 1000 Lumens

9, Working time: About 2.5 hours

10, Charging time: About 5-6 hours

11, Features:

Easy ON/OFF push button backside

USB input charging

USB output for your mobile device charging use

Short press the RED switch button to switch 3 lighting modes as you want Battery capacity indicator light will light up while charging and working

12, Accessories: 1PC USB Cable Included



# Cigarette Socket Plug



JE2118003WT 3 USB Charger input:12/24V output:5V 4.1A(1A+1A+2.1A) with LED



JE2118004WT 2 USB Charger input:12/24V output:5V 3A(2.1A+0.8A) with LED




JE2118005WT 4 USB Charger input:12/24V output:5V 6.8A(1A+1A+2.4A+2.4A) with LED



JE2118006WT Multifunctional USB Charger input:AC220V/DC12V output:5V 1A



JE2118010WT 3 Socket with 2 USB Charger input:12/24V
USB output:5V 3.1A(1A+2.1A)
with LED



JE2118007WT 2 Socket with 2
USB Charger
with ON/OFF power
input:12/24V
USB output:5V 3.4A(1A+2.4A)
with LED



JE2118008WT 3 Socket with 2
USB Charger
with ON/OFF power
input:12/24V
USB output:5V 3.4A(1A+2.4A)
with LED



JE2118009WT 4 Socket with 2
USB Charger
with ON/OFF power
input:12/24V
USB output:5V 3.4A(1A+2.4A)
with LED



# New Retractable Working Torch



### **RB2127401WT LED Rechargeable Working Light:**

1.21/30+1W LED Rechargeable Working Light

2.21/30pcs SMD 3528 bright LED light

3.1W LED on the top as spotlight

4.LED charging indicator

5.3.6V 1200MA Ni-MH battery

Magnet and hook in the bottom

6/With AC-DC adapter

7.DC 12V cigarette plug charger

### RB2127402WT LED Rechargeable Working Light:

- 1.21/30+1W LED rechargeable working light
- 2.21/30pcs SMD 3528bright LED light
- 3.1W LED on the top as spotlight
- 4. Using dry battery(4\*AA size)
- 5. Magnet and hook in the bottom





000

### **RB2127403WT LED Rechargeable Working** Light:

- 1.30pcs of normal bright white LED as working light 2.6pcs of LED on the top as spotlight
- 3.3.6V1200MA Ni-MH battery Magnet in the bottom



# Retractable Working Torch



### **RA2125401WT Retractable Working Torch:**

- Material: ABS
- Product Size: 46mm(DIA)× 165mm(H)(extend to 225mm)
- Product Net Weight:105g
- Top:3W XPE LED, Button Control (100% Light-50% Light-Strobe Flash-Off)
- Body:3W COB, Extend (White Light Red Light Red Flash), Retract (Off)
- Bottom: Magnetic
- Power: 6V,4\*AAA Batteries (Excluded)
- Lock Designing for Retracting

### **RA2125501WT Retractable Working Torch:**

- Material: Aluminum
- Product Size: 170\*42\*33mm(extend to 226mm)
- Product Net Weight:144g
- Top:2W XPE LED, Button Control
- Body:3W COB, Button Control
- Bottom: Magnetic
- Power: 6V,4\*AAA Batteries (Excluded)
- Button Control: Top XPE Light-Body COB White Light-Body

COB Red Flash-Off







### **RA2125502WT Retractable Working Torch:**

- Material: ABS with Painting (Soft Feeling)
- Product Size: 166\*42\*33mm(extend to 223MM)
- Product Net Weight:89g
- Top:1W LUX LED,Button Control
- Body:3W COB,Button Control
- Bottom:Magnetic
- Power: 6V,4\*AAA Batteries (Excluded)
- Button Control: Top LUX Light-Body COB White Light-Off

### **RA2123902WT Retractable Working Torch:**

- Material: Aluminum
- Top : 3 W LED
- Body: COB-3W LED, White
- Bottom: Magnetic
- Using 4xAAA Battery (Excluded)
- Button Control: Top LED-Body COB White-OFF







### Multifunctional Car Torch









# **XQ2124201WT 5 LED Multifunctional Car Torch:**

- Function: 5 LED Torch with Red Emrgency Flash,Life Hammer,Belt Cutting,Knife,Opener,Scissor,Screw Driver,Spanner,Compass

- Material: ABS, Stainless Steel 2CR13
- Size: 15x4.5x4 cm
- Product Weight: 170g
- LED Bright: ф5(15000-18000)
- Using 3 X AA Batteries (not included)
- 1 Page Handbook 105\*145mm
- Color Box Size: 5.2x5.2x15cm










## Security Torch Kit



Reference color



#### Life-saving impactive needle:

Take off the protective cover, then stress the hammer head onto the glass until the distance is less than 0.5mm, so as to smash the window.



Seatbelt cutter



Life-saving impactive needle






	Item	Parameter	Unit	Item	Parameter	Unit
	Max. brightness			Max. luminous flux		
	1 LED light	60000	Mcd	3 LED light	9	Lm
	Lighting time after 1 minute cranking			Lighting time after be charged fully		
TECHNICAL PARAMETERS:	3 LED lighting	10	minute	3 LED light	80	minute
	3LED flashing	60	minute	3LED flashing	2	hour
				Flash frequency	2	HZ
	Insider Hammer Power	^	55N	LED lifetime	50000	hour
				Switch lifetime	100000	times
				Plastic parts lifetime	5	year
				The whole unit lifetime	5	year

### OH2105001WT 3 in 1 Emergency Auto Safety Tool

- Cranking for power to charge its inner battery
- Lighting and flashing alert
- Life-saving impact needle, seat belt cutter
- High brightness (3 LEDs)
- Power Sources: Cranking for power,inside 80 mAh / 3.6v NI-MH chargeable battery



# Multifunctional Tire Gauge



### JL1225201WT 9 in 1 Digital Tire Gauge with Multi Tools

- Range: 5-160PSI or 0.5-11Bar or 50-1100Kpa
- Digital LED Display with Backlight
- Super-Bright LED Flashlight
- Emergency Glass Hammer
- Multi Tools: Pliers, Scissors, Seat belt, Screwdriver(+), Screwdriver(-)
- Packaging:1 PC/Double Blister,6PCS/Inner Box,48 PCS/CTN
- CTN Dimension: 47x27.5x44.5 cm
- CTN GW/NW: 12 KGS/10 KGS
- MOQ: 1000 PCS




# Security Torch Kit



Dynamo Model for Charging



5 LED Lights (12000MCD)



4 Red LED Flash Lights (12000MCD)



4 Super Magnets can stick any steel surface



Car Glass Breaker



XC2107901WT

Dynoma Torch for Security



Seat Belt Cutter



Mobile Phone Charger (the charging line is the option)

### **Product Specification:**

- Body Material ABS
- Rechargeable Ni-Mh Battery:3.6V, 80MAH
- By winding the handle for 1 minute, 5 head LED lights can work for 20 minutes,1 head LED light can work for 60 minutes,4 side red LED flash lights can work for 60 minutes
- Multi Functions as Torch, Warning
   Flash with Magnets, Glass Breaker,
   Seat Belt Cutter, Mobile Phone
   Charger (connecting line not included)







# RA2123901WT Automobile Torch:

- Lamp: XPE + 6 SMD

- Battery: 4xAAA (not included)

- Bottom: Magnet - MOQ: 2000 PCS

- Packaging: 1 PC/Color Box,

40 PCS/CTN

- CTN Dimension: 58x34x30cm





# JM2102701WT LED Tripod Working Torch:

- 1 Watt Led for each torch
- Detachable tripod style for multiple users
- Adjustable head with multi-positions
- Strong magnet on the bottom
- Anti-slip rubber grips
- 3.6V 300MAH\*3 NI-MH battery
- With charging base for convenience(AC adaptor+12V charger)
- Charging time: All(3pcs together):5Hours; Single piece: 2Hours
- Working time: High light: 60mins;
   Low light: 180mins





## Dynamo Lantern



### RC2105003WT Rainproof Dynamo LED Camping Lantern with Emergency Function

- Product Color :Silver, White + Black (Rubber Coated)
- Power: Built-in NI-MH Battery ,Cranking for Power generation or Charging with External 5  $\pm$ 0.2 V Power Source
- Switch Models: Low Level Lighting of 16 White LEDs→ High Level Lighting of 16 White LEDs→
- 3 Red LED Lighting→ 3 Red LEDs SOS Lighting→ Off
- Max Working Time: 12 H
- Rainproof: IP44
- How to Use: Using as torch or Hanging with hook or Sticking to Iron Object with 3 PCS Magnet
- Technical Specification: Max. Luminous Flux 60 Lm, Battery 800mAh, 3.6 V
- Accessories: 1PC Connection USB Cable (DC connector, Φ3.5\*Φ1.3mm), 1 PC A5 Handbook





## Dynamo Lantern



# RC2105005WT Collapsible LED Camping Lantern:

- Product Weight: 118g

- Super Bright 1 W Led Torch

- Power: 3 AA batteries

- Collapsible Lampshade
- Used as Flashlight when the Lampshade Closed
- Packaging: 1 PC/Color Box, 40 PCS/CTN
- CTN Dimension: 36x20.5x41cm



# RC2105004WT Dynamo (USB charged) Camping Lantern/Torch:

- Product Weight: 320g
- Used as Torch and Lantern:
   High Brightness 3 LEDs for
   Spotlight, 10 Straw-hat
   Lights and 5 Red Flash
   Lights for Camping Lantern
- Charging: Dynamo Mode and External 5V Power Source
- Cellphone Charger
- Built-in Battery: 300mAh,3.6V,2.5W
- Weather Resistant: IP43









#### JD3422301WT

Input voltage: DC 12/24V
Output voltage: DC 12/24V
Number of sockets: 2
Number of USB: NO
Separated knob switches:Yes
LED indicator: Yes
Cable length: 60cm



#### JD3422304WT



#### JD3422307WT

Input voltage: DC 12/24V
Output voltage: DC 5V(USB) +
DC 12/24V
Number of sockets: 3
Number of USB: 1
Charging current: 1000mA
Separately switches:Yes



#### JD3422302WT



#### JD3422305WT



#### JD3422308WT

Input voltage: DC 12/24V
Output voltage: DC 5V(USB) +
DC 12/24V
Number of sockets: 4
Number of USB: 1
Charging current: 1000mA

Separately switches: Yes



#### JD3422303WT

Input voltage: DC 12/24V
Output voltage: DC 12/24V
Number of sockets: 3
Number of USB: NO
Separated knob switches:Yes
LED indicator: Yes
Cable length: 60cm



#### JD3422306WT



#### JD3422309WT

Input voltage: DC 12/24V
Output voltage: DC 5V(USB) +
DC 12/24V
Number of sockets: 3
Number of USB: 1
Charging current: 1000mA







#### JD3422310WT



#### JD3422313WT

Input voltage: DC 12/24V
Output voltage: DC 5V(USB) +
DC 12/24V
Number of sockets: 4
Number of USB: 2
Charging current: 3100mA
LED indicator: Yes



#### JD3422316WT

Input voltage: DC 12/24V
Output voltage: DC 5V(USB) +
DC 12/24V
Number of sockets: 2
Number of USB: 1
Charging current: 1000mA
LED indicator: Yes



#### JD3422311WT

Input voltage: DC 12/24V
Output voltage: DC 5V(USB) +
DC 12/24V
Number of sockets: 2
Number of USB: 2
Charging current: 3100mA
LED indicator: Yes



#### JD3422314WT

Input voltage: DC 12/24V
Output voltage: DC 5V(USB) +
DC 12/24V
Number of sockets: 1
Number of USB: 1
Charging current: 1000mA
LED indicator: Yes



#### JD3422317WT

Cable length: 60cm



#### JD3422312WT

Input voltage: DC 12/24V
Output voltage: DC 5V(USB) +
DC 12/24V
Number of sockets: 3
Number of USB: 2
Charging current: 3100mA
LED indicator: Yes



#### JD3422315WT

Input voltage: DC 12/24V
Output voltage: DC 5V(USB) +
DC 12/24V
Number of sockets: 3
Number of USB: 1
Charging current: 1000mA
LED indicator: Yes



#### JD3422318WT

Input voltage: DC 12/24V Output voltage: DC 12/24V Number of sockets: 3 USB port : NO LED indicator: YES







#### JD3422319WT

Input voltage: DC 12/24V
Output voltage: DC 5V(USB) +
DC 12/24V
Number of sockets: 3
Number of USB: 1
Charging current: 1000mA
LED indicator: Yes
Cable length: 60cm



#### JD3422320WT

Input voltage: DC 12/24V Output voltage: DC 12/24V Number of sockets: 4 USB port : NO LED indicator: YES



#### JD3422321WT

Input voltage: DC 12/24V
Output voltage: DC 5V(USB) +
DC 12/24V
Number of sockets: 4
Number of USB: 1
Charging current: 1000mA
LED indicator: Yes



#### JD3422322WT

Input voltage: DC 12/24V
Output voltage: DC 12/24V
Number of sockets: 4
Charging current: 1000mA
USB port: NO
Separately switches: Yes



#### JD3422323WT

Input voltage: DC 12/24V
Output voltage: DC 5V(USB) +
DC 12/24V
Number of sockets: 4
Number of USB: 1
Charging current: 1000mA
Separately switches:Yes



#### JD3422324WT

Input voltage: DC 12/24V
Output voltage: DC 12/24V
Number of sockets: 3
Charging current: 1000mA
USB port: NO
Separately switches:Yes
LED indicator: Yes



#### JD3422325WT

Input voltage: DC 12/24V
Output voltage: DC 5V(USB) +
DC 12/24V
Number of sockets: 3
Number of USB: 1
Charging current: 1000mA
Separately switches:Yes



#### JK2118003WT

- Max current:3A
- 2 USB output: 5v, 700mA
- 2 sockets of 12V, max. 3A

- Round shape design, to fit into all standard drink holders
  - With built-in ashtray in base
     With 1 M extension cord



#### JK3313903WT

Input: DC 12-24V
Output: DC 5.0V
1A for 1 USB
500mA for 2 USB
Total: 1A max
Remark: Piano paint finishing

Material: PC











### JE3411201WT Y-Shape Twin USB Charger

- Input:12/24V DC
- Output: 5V DC
- 800mA 1st USB (Iphone) /2100mA 2rd USB (Ipad), it could charge Iphone and Ipad on the same time
- Power Light Indicator
- Material: High-Light ABS .can be used for iPhone, iPad
- CE and Rohs Approval

# JE3411202WT Mini-USB Charger with 2 USB Port

- Input: 12/24V DC
- 2 USB Output: 5V DC 2100mA (Ipad can be used)
- Automatic Protection Circuit with Fuse insidely
- Color Available: Black or White
- CE and Rohs Approval

















## Universal Holder







#### YN3422301WT

Full 360 degree rotation
One cigar socket(DC12V-24V)
Dual USB(DC5V,2000mA)+1 V8 Data charge
cable
With power switch





#### YN3422302WT

Full 360 degree rotation
One cigar socket(DC12V-24V)
Dual USB(DC5V,2000mA)
1 V8 Data charge cable
With power switch





#### YN3422303WT

Full 360 degree rotation One USB(DC5V,2000mA) 1 V8 Data charge cable





### YN3422305WT

Full 360 degree rotation Super, long lasting grip to both the dashboard or windscreen

#### YN3422304WT

Full 360 degree rotation One USB(DC5V,2000mA) 1 V8 Data charge cable





#### YA2111901WT

Fit for most items like:

Mobile phones PDA MP3 Player GPS
Iphone iPod touch Pod classic iPod Nano etc.

2 mounting ways: Stick on Dashboard or Put on Air
Outlet

- 360° Rotation

### Car Table









# YM2108101WT Steering Wheel Table:

- Material : HDPE

- Product Dimension: 300x175x11.5mm

- Product Net Weight: 200g

Max Load: 4 KGSEasy for storage

- Especially Suitable for Ipad

### YO2110301WT Car Table:

- Color: Black

- Size: $360 \times 270 \times 26$ mm

- Material: ABS, Steel Wire

- Weight:765g


- Mounting on the Steering Wheel or on the Back of the Chair in the Front Row














### **YO2110302WT Car Table with Tray:**

- Color: Black

- Size:352×234×24mm

- Material: ABS, Steel Wire

- Weight:1210g

- Mounting on the Steering Wheel or on the Back of the Chair in the Front Row





# ( Hand Free Bluetooth







#### JG3307403WT Hand Free Bluetooth Kit

- Bluetooth Version: 2.0 range: 0-10m
- Charging ways: solar charging, USB charging, 12V Cigarette Lighter Charging
- Sticking on the shield window or put on the dashboard
- Built-in 1700mAh Li-ion battery
- Answer/end/reject a call, voice dialing, last call redialing
- Stereo Acoustics, DSP technology, Full Duplex, Noise and echo suppression
- MP3 Playing with mobile phone Bluetooth supporting
- Accessories: Cigarette Lighter Charger, USB Charger, 2 Built Out Micros

### **JG3307401WT Hand Free Bluetooth Rearview** Mirror

Bluetooth specification: 2.0 range 0-10 m Complete bluetooth wireless installation

Easy to instalL and no need to remove the original rearview mirror

DSP technology, Full duplex, noise and echo suppression USB port for software update and charge

Characteristic designs, super light and ultra-thin

With 1650mAh Lithium battery to provide typical standby time of more than 10 times

Days talking time of 11 hours and headset talking time of 5 hours

Independent FM wireless ear piece to protect your privacy Built-in hig intelligent microphone and powerful speaker

Transmit the signal into car radio by FM frequency

Super bright LCM caller English name and ID display Can scroll 10 groups of incoming calls, store 200 groups number then call back

Can record about 35seconds then play back

Answer/end/reject a call, Voice dialing, last call redialing, and

call switching function









### JG3307402WT Solar Charger

- Charge for the devices through USB cable